


Smarter


GOOGLE TV

WITH AI ASSISTANT

32"



**Intelligent
Voice Remote**



TECHNICAL SPECIFICATIONS



POWER

| | |
|-----------------------------|--|
| Power Requirement | 110-240VAC 50/60Hz |
| Power consumption (Standby) | ≤ 0.5W At 240VAC input & no load condition |
| Maximum Power Consumption | 55 watts |
| Current | ≤ 1.8 Amp |

ACCESSORIES

| | |
|--|-----|
| Remote controller (VOICE GOOGLE REMOTE) | YES |
| Wall-mount Bracket | YES |
| User manual | YES |
| Stand | YES |
| BATTERY(1.5V AAA) | YES |

SMART TV FEATURES

| | |
|------------------|-----------------------|
| PROCESSOR | ARM Cortex-A55 |
| GPU | G31MP2 |
| RAM | 1.5 GB |
| ROM | 8 GB |
| OPERATING SYSTEM | Android 11, GOOGLE TV |

Display

| | |
|----------------|-------------------|
| Display size | 32 INCH (109 cm) |
| Aspect ratio | 16:9, Auto |
| Contrast | 3000 : 1 |
| Viewing angle | 178°(H) X 178°(V) |
| Maximum colors | 16.7M(8 bit) |
| Response time | 8.5 ms |
| Luminance | 250+-10nits |

USB FORMAT

| | | |
|-------|-------------|--|
| VIDEO | Video codec | MPEG-1, MPEG-2, MPEG-4 ASP, AVI, H.264, H.263, HEVC/H.265, VC-1, VP9, VP8 |
| | Container | DAT, MPEG, MPG, TS, MPTG, MPG, M2V, TP, VO, AVI, MP4, MOV, 3GP, 3G2, MKV, TS, M2TS, MTS, M4V, FLV, F4V, PM |
| MUSIC | Audio Codec | MPEG1/2/2.5, Layer3, FLAC, HEAAC/AAC, Dolby Digital, (DD) /AC-3, Dolby Digital Plus/E-AC-3 |
| | Container | MP2/MP3, FLAC, AAC/M4A, AIF/AIFF/ALAW, |
| IMAGE | | jpg, bmp, png |
| TEXT | | txt |

CONNECTIVITY

| | |
|-----------------|---|
| ETHERNET (RJ45) | 1 |
| MINI AV IN | 1 |
| ANTENNA | 1 |
| HDMI | 2 |
| Optical Out | 1 |
| USB | 2 |
| Earphone | 1 |



CHARACTERISTICS

| | | |
|--|-------------------------|---|
| Dimensions LED Set (LxWxH) with out Stand | | 722X86X425mm |
| Dimensions LED Set (LxWxH) with Stand | | "722X175X468mm |
| Box Dimension (LXWXH) | | 803X144X514mm |
| Gross weight of product | | 5.7kg (approx.) |
| Net Weight of product | | 3.9 kg |
| PANEL | Type | TFT-LCD/LED |
| | Interface | Single/ Double LVDS/Mini LVDS |
| TV | Receiving range | 46.25MHz-863.25MHz |
| | Input Impedance | 75Ω |
| | Video System | PAL,SECAM |
| | Sound System | BG, DK, I, |
| AV | Color System | PAL/NTSC/SECAM |
| | Video Level | 1Vp-p@75ohm |
| HDMI | Format | Max Resolution: 2K@60Hz, HDMI1.4 |
| AUDIO OUTPUT | Max Output Power | 2X8W @ 8ohm THD≤10% |
| | Operating Frequency | 2.4GHz~2.5GHz, 5.15GHz~5.825GHz |
| | Communications Standard | IEEE 802.11b,IEEE802.11g,IEEE802.11n, IEEE802.11a,IEEE802.11ac |



SCAN HERE FOR DETAILS & SOLUTIONS